



# NATIONAL SENIOR CERTIFICATE

**GRADE 12** 

# **ENGINEERING GRAPHICS AND DESIGN P2**

**FEBRUARY/MARCH 2015** 

**MARKS: 100** 

TIME: 3 hours

This question paper consists of 6 pages.



# **INSTRUCTIONS AND INFORMATION**

- 1. This question paper consists of FOUR questions.
- 2. Answer ALL the questions.
- 3. ALL drawings are in third-angle orthographic projection, unless otherwise stated.
- 4. ALL drawings must be completed using instruments, unless otherwise stated.
- 5. ALL answers must be drawn accurately and neatly.
- 6. ALL the questions must be answered on the QUESTION PAPER as instructed.
- 7. ALL the pages must be re-stapled in numerical sequence, irrespective of whether the question was attempted.
- 8. Time management is essential in order to complete all the questions.
- 9. Print your examination number in the block provided on every page.
- 10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY											
QUESTION	MARK	(S OBTA	AINED	1/2	SIGN	MC	DERAT	ED	1/2	SIGN	
1											
2											
3											
4											
TOTAL											
	2	0	0			2	0	0			

FINAL CONVERTED MARK	CHECKED BY
100	
100	

COMPLETE THE FOLLOWING:
CENTRE NUMBER
CENTRE NUMBER
EXAMINATION NUMBER
EXAMINATION NUMBER


Copyright reserved

Please turn over

Engineering Graphics and Design/P2

NSC

DBE/Feb.-Mar. 2015



FINISH: POLISHED

QUANTITY: 325 UNITS

MACHINING: MILLING

15 FABRICIA ROAD KLISSERVILLE

KIMBERLEY

8301 © 051 6273 849

# QUESTION 1: ANALYTICAL (MECHANICAL)

#### Given:

A front view, top view and right view of a box and gland assembly, detailed drawing of the flange, a title block and a table of questions. The drawings have not been prepared to the indicated scale.

#### Instructions

Complete the table below by neatly answering the questions, which all refer to the accompanying drawings and the title block. [30]

		QUE	ESTIONS		ANSWER	S		
	1	On what date was the	drawing approved?			1		
	2	What is the title of the	assembly?			1		
	3 What scale is indicated for the drawing?							
	4 What material is used to manufacture the bush?							
	5	On what date was the	revision done?			1		
	6	What is the drawing nu	umber?			1		
	7	What would VIEW 3 be	e called?			1		
	8	What type of section is	s shown in VIEW 1?			1		
	9	What part is used to pout is being tightened?		face when the		1		
	10	Name the part at R.				1		
	11	Name the feature at S.	-			1		
	12	Name the feature at T.				1		
	13	How many surfaces ne	eed to be machined	?		1		
	14	Give the complete dim	nensions at:	Α	В	2		
	15	Determine the complete	te dimensions at:	С	D	4		
	16	With reference to the t dimension at E.	tolerance, determine	e the maximum		2		
/	17	With reference to the t dimension at E.	tolerance, determine	e the minimum		2		
	18 Insert the cutting plane on VIEW 3 and label it A-A.							
	In the space provided below, draw, in neat freehand, the symbol for the projection system used.							
					TOTAL	30		
TS	TS LIST ANSWER 19							

		PARTS LIST					
			PART	MATERIAL	QUANTITY		
		1	BASE	CAST IRON	1		
		2	FLANGE	MILD STEEL	1		
2.		3	STUD	MILD STEEL	2		
1. INSERT SPOT FACE	2014/02/03	4	SHAFT	HARDENED STEEL	1		
REVISIONS	DATE	5	BUSH	RUBBER	1		
DRAWN: ALFA	2014/01/01	6	WASHER	MILD STEEL	2		
CHECKED: BRAVO	2014/02/02	7	NUT	MILD STEEL	2		
APPROVED: ZERO	2014/03/03		•				

SYMBOL EXAMINATION NUMBER 2
Please turn over

TITLE

DRAWING PROGRAM: AUTOCAD 2013

ARE ± 0,15. ALL UNSPECIFIED RADII ARE R3.

UNLESS OTHERWISE SPECIFIED, ALL TOLERANCES ON DIMENSIONS

**BOX AND GLAND** 

**PEWIJO** 

**ENGINEERING** 

FILE NAME: ANAS15.dwg

DRAWING No. BG-15/4



**QUESTION 2: LOCI** 

#### HELIX

# Given:

The left view of a square spring with RS indicating starting position

• The position of centre point T on the drawing sheet

# Specifications:

Pitch = 72
 Spring profile = 24 x 24
 Direction = Right-handed

#### Instructions:

Draw, to scale 1:1, the following:


2.1 The given left view with point T as reference

2.2 The front view for TWO turns of the square spring

• Show ALL necessary construction.

No hidden detail is required.

[37]



	ASSESSMENT CRITERIA						
1	GIVEN + CENTRE LINES + STARTING POINT	4 ½					
2	CONSTRUCTION	8					
3	OUTSIDE POINTS + CURVE + QUALITY	14 ½					
4	INSIDE POINTS + CURVE + QUALITY	10					
PE	NALTIES (-)						
	TOTAL	37					
	EXAMINATION	NUMBE	R				

**EXAMINATION NUMBER** 

BASIC - EDUCATION



# **QUESTION 3: ISOMETRIC DRAWING**

### Given:


- The front view, top view and left view of a machine switch with cutting plane A-A
- The position of point P on the drawing sheet


#### Instructions:


Using scale 1 : 1, convert the orthographic views of the machine switch into a sectional isometric drawing on cutting plane A-A.

- Make P the lowest point of the drawing.
- Show ALL necessary construction.
- NO hidden detail is required.

[39]







	ASSESSMENT CRITERIA								
1	AUX. VIEW + PLACING	3							
2	ISOMETRIC + NON-ISOMETRIC LINES	16½							
3	ISO' CIRCLES + CIRCLE CONSTRUCTION	5							
4	SECTIONED SURFACES	11							
5	5 HATCHING								
PE	NALTIES (-)								
	TOTAL	39							
	EXAMINATION NUMBER								
	EXAMINATION	NUMI	BER			4			


 $\rightarrow$  D



Engineering Graphics and Design/P2

NSC

DBE/Feb.-Mar. 2015



#### QUESTION 4: MECHANICAL ASSEMBLY

#### Given:

- The exploded isometric drawing of the parts of a distribution box lock assembly, showing the position of each part relative to all the others
- Orthographic views of each of the parts of the distribution box lock assembly

#### Instructions:

- Answer this question on page 6.
- Draw, to scale 2 : 1 and in third-angle orthographic projection, the following views of the assembled parts of the distribution box lock assembly:
- **4.1 A sectional front view** on cutting plane A-A, as seen from the direction of the arrow shown on the exploded isometric drawing. The cutting plane, which passes vertically through the centre of the assembly, is shown on the right view of the base (part 3).

#### 4.2 The right view

• ALL drawing must comply with the guidelines contained in the SANS 10111.

#### NOTE:

- Show THREE faces and ALL necessary construction of the M12 nut.
- Show ALL necessary construction of the ellipse.
- Show ALL necessary construction of the triangle.
- Add cutting plane A-A to the drawing.
- NO hidden detail is required.

[94]

	PARTS LIST							
	PART	QUANTITY	MATERIAL					
1	SHAFT	1	STAINLESS STEEL					
2	SEAL	1	RUBBER					
3	BASE	1	CAST IRON					
4	GUIDE PIN	1	MILD STEEL					
5	LOCKING LEVER	1	MILD STEEL					
6	WASHER	1	MILD STEEL					
7	M12 NUT	1	MILD STEEL					



JPVV
ENGINEERING CC

123 STRUBEN STREET PRETORIA 0001


www.jpwengineering.co.za

1012 345 6789

# DISTRIBUTION BOX LOCK

ALL DIMENSIONS ARE
IN MILLIMETRES

ALL UNSPECIFIED RADII ARE R3.





CTAPLE
sì'

ASSESSMENT CRITERIA								
SECTIONAL FRONT VIEW								
		POSSIBLE	OBTAINED	SIGN	MODERATED			
1	SHAFT	17 ½						
2	SEAL	2						
3	BASE	18 ½						
4	GUIDE PIN	$2\frac{1}{2}$						
5	LOCKING LEVER	7						
6	WASHER	2 ½						
7	M12 NUT	6 ½						
	SUBTOTAL	56 ½						
	RIGHT	VIEW						
1	SHAFT	5						
2	M12 NUT	4						
3	WASHER	1						
4	LOCKING LEVER	4 ½						
5	BASE	9						
6	GUIDE PIN	1						
7	CUTTING PLANE	3						
	SUBTOTAL	27 ½						
	GEN	ERAL						
1	CENTRE LINES	4						
2	ASSEMBLY	6						
	SUBTOTAL	10						
	TOTAL	94						
то	TAL PENALTIES (-)							
	FINAL TOTAL							
	EXAMINATION NUMBER							
1								

EXAMINATION NUMBER

6